

PRODUCT DESCRIPTION

- Designed to reach an IP67 waterproof rating
- Allows aesthetic assembly with concealed mounting brackets
- Minimum dimensions to obtain a line of light

FINISH :

Silver anodized

*Custom colors available upon request



Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- designed for the construction of lighting fixtures mounted to horizontal surfaces: mainly under cabinets, shelves (kitchens, libraries, furniture)

- clean shape, not distorted by technical detail, such as an external mounting bracket

Assembly

- with plastic mounting brackets attached to mounting surface with bolts

Additional information

- possibility of making a linear fixture with IP67 protection, which means the fixture is dustproof and waterproof

- can be equipped with transparent and frosted covers, aluminum-colored and metalized plastic end caps


- spece for LED strip: 14 mm

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
B9204ANODA_1	Silver anodized	1000 mm
B9204ANODA_2	Silver anodized	2000 mm
B9204ANODA_3	Silver anodized	3000 mm




TECHNICAL DRAWING





RELATED PRODUCTS

COVERS



END CAPS



cap Ref: 24145





ACCESSORIES










8,8x1,2 Gland Ref: 00802

FI-10-H-P Fastener Ref: 42245

FI-10-H-W Fastener Ref: 42243

PDS-H Mounting bracket Ref: 24214

LED TAPES





(nnnnnn), nn)enenf@enenf@enen	Žeželtje žeželtježeže
LED strip K-30/18-1770-24V 11.5W/m Ref: K-30/18-1770-24V	LED strip K- CR-1210-24V 4.8W/m Ref: K-CR-1210-24V	LED strip K- LR-1000-24V 10W/m Ref: K-LR-1000-24V	LED strip WP- K-1210-12V 4.8W/m Ref: WP-K-1210-12V
ja a+a⊻ata+a∰a a			(a ana ja ada) a anadadada (a ana j
LED strip WP- K-1210-24V 4.8W/m Ref: WP- K-1210-24V	LED strip WP- K-1215-RGB-24V 7.2W/m Ref: WP-K-1215- RGB-24V	LED strip WP-K-1220- IP65-12V 9.6W/m Ref: WP-K-1220- IP65-12V	LED strip WP-K-1220- IP65-24V 9.6 W/m Ref: WP-K-1220- IP65-24V
ទួយឆ្នាំនាំឆ្នាំអាឆ្នាំអាឆ្នាំអាឆ្នាំអាឆ្នាំ	Janua dan ma Janua Janua Janua d	<u></u>	(a ana ta angila anasalangila ana t
LED strip WP- K-1275-12V 14.4W/m Ref: WP- K-1275-12V	LED strip WP- K-1275-24V 14.4W/m Ref: WP-K-1275-24V	LED strip WP- K-27/65-1920-24V 19.2W/m Ref: WP- K-27/65-1920-24V	Taśma LED K- CR-1220-24V 9.6W/m Ref: K-CR-1220-24V
(nonstange) non (nog) nonst		ti ya Siya Tiya	a in state and all in state and all in it was
Taśma LED K- CR-1275-24V 14.4W/m Ref: K- CR-1275-24V	Taśma LED K- CR-1820-HD-24V 18.2W/m Ref: K-CR-1820- HD-24V	Taśma LED K-CR-1910- HD-24V 9.1W/m Ref: K-CR-1910-HD-24V	Taśma LED WP-1640- HD-IP65-24V 16.4W/m Ref: WP-K-1640-HD- IP65-24V
[earligen]jearligen]jearli	(a ana ja adojja anatosjadojja ana j	ti man Si man Si m	
Taśma LED WP- K-1220-12V 9.6W/m Ref: WP- K-1220-12V	Taśma LED WP- K-1220-24V 9.6W/m Ref: WP-K-1220-24V	Taśma LED WP-K-1910- HD-IP65-24V 9.1W/m Ref: WP-K-1910-HD- IP65-24V	

MARKETING MATERIALS





Display P230-90121M Ref: 90121M



Presentation set 6 Ref: 90125