


PRODUCT DESCRIPTION

- The profile directs light at a 45-degree angle
- Good heat dissipation
- Ability to create a line of light

Fill empty fields


Product nr.	
Fixture type	
Company	
Job name	
Date	



TECHNICAL SPECIFICATION


B4023NA_1	Non anodized (raw)	1000 mm
B4023NA_2	Non anodized (raw)	2000 mm
B4023NA_3	Non anodized (raw)	3000 mm
B4023ANODA_1	Silver anodized	1000 mm
B4023ANODA_2	Silver anodized	2000 mm
B4023ANODA_3	Silver anodized	3000 mm
B4023K7_1	Black anodized	1000 mm
B4023K7_2	Black anodized	2000 mm
B4023L9010_1	White RAL	1000 mm
B4023L9010_2	White RAL	2000 mm
B4023L9005_1	Black RAL	1000 mm

B4023L9005_2	Black RAL	2000 mm
--------------	-----------	---------




RELATED PRODUCTS

COVERS




Ref: 17036

60°




Ref: 17035

90°




Ref: 1370

50°




Ref: 17122

70°




Ref: 1369

100°





Ref: 17121

100°



Ref: 17037

110°



Ref: 17076

120°



END CAPS



Ref: 24070



Ref: 00031



Ref: 1440



Ref: 00030



Ref: 24163



Ref: 24085



Ref: 1383

ACCESSORIES




Ref: 42211




Ref: 42051




Ref: 00644



Ref: 24144




Ref: 42116



Ref: 42115




Ref: 42212




Ref: 00036



Ref: 00652



Ref: 42102




Ref: 42114




Ref: 42210




Ref: 00035




Ref: 42113




Ref: 42101




Ref: 00653




Ref: 42200



Ref: 42202



Ref: 00654




Ref: 42209



Ref: 1399



Ref: 1455



Ref: 42501

MARKETING MATERIALS



Ref: 90120M



Ref: 90051